INDEX TO VOLUME XL *

INDEX TO AUTHORS AND TITLES

Benham, Rhoda Williams. Effect of nutrition on growth and morphology of the Dermatophytes. 1. Development of macroconidia in *Trichophyton rubrum* 232–240, 2 figures

Bonner, John Tyler. A study of the temperature and humidity requirements of *Aspergillus niger* 728–738, 3 figures

Brian, Percy W., Hemming, H. G. and Jefferys, E. G. Production of antibiotics by species of *Myrothecium* 363–368

Brodie, Harold J. Variation in fruit bodies of *Cyathus stercoreus* produced in culture 614–626, 3 figures

Burlingham, Gertrude S. Henry Curtis Beardslee 505–506, portrait

Cain, Roy Franklin. *Myriogonium*, a new genus among simplified Ascomycetes 158–167, 56 figures

Cash, Edith Katherine. Six new Indian Discomycetes 724–727

Chiu, Wei Fan. The Boletes of Yunnan 199–231

Chupp, Charles (with Thirumalachar, Mandayam Jeersannidhi). Notes on some Cercosporae of India 352–362

Covert, Scott W. A cellulose-degrading *Gliocladium* 386–387

Cummins, George Baker (with Thirumalachar, Mandayam Jeersannidhi). Status of the rust genera *Allopuccinia, Leucotelium, Edythea,* and *Ypsilospora* 417–422, 5 figures

Darby, Richard T. (with White, W. Lawrence, Stechert, Gladys M., and Sanderson, Kathryn). Assay of cellulolytic activity of molds isolated from fabrics and related items exposed in the tropics 34–84, 3 figures

Dearden, E. R. (with Jackson, Herbert Spencer). *Martensella corticii* Thaxter and its distribution 168–176, 11 figures

DeLamater, Edward D. Basic fuchsin as a nuclear stain for fungi 423–429, 1 figure; The nuclear cytology of *Blastomyces dermatitidis* 430–444, 5 figures

Drechsler, Charles. Three Zoöpagaceae that subsist by capturing soil Amoebae 85–105, 4 figures

Fennell, Dorothy I. (with Raper, Kenneth B.). New species of *Penicillium* 507–546, 11 figures

Fischer, George W. Graminicolous Smuts of North America. Century I 502–503

Harris, Hubert A. Heterothallic antibiosis in *Mucor racemosus* 347–351

Hazen, Elizabeth L. (with Schatz, Albert). The distribution of soil microorganisms antagonistic to fungi pathogenic for man 461–477, 3 figures

* This index prepared by Aurèle La Rocque.

INDEX TO VOLUME XL *

INDEX TO AUTHORS AND TITLES

Benham, Rhoda Williams. Effect of nutrition on growth and morphology of the Dermatophytes. 1. Development of macroconidia in *Trichophyton rubrum* 232–240, 2 figures

Bonner, John Tyler. A study of the temperature and humidity requirements of *Aspergillus niger* 728–738, 3 figures

Brian, Percy W., Hemming, H. G. and Jefferys, E. G. Production of antibiotics by species of *Myrothecium* 363–368

Brodie, Harold J. Variation in fruit bodies of *Cyathus stercoreus* produced in culture 614–626, 3 figures

Burlingham, Gertrude S. Henry Curtis Beardslee 505–506, portrait

Cain, Roy Franklin. *Myriogonium*, a new genus among simplified Ascomycetes 158–167, 56 figures

Cash, Edith Katherine. Six new Indian Discomycetes 724–727

Chiu, Wei Fan. The Boletes of Yunnan 199–231

Chupp, Charles (with Thirumalachar, Mandayam Jeersannidhi). Notes on some Cercosporae of India 352–362

Covert, Scott W. A cellulose-degrading *Gliocladium* 386–387

Cummins, George Baker (with Thirumalachar, Mandayam Jeersannidhi). Status of the rust genera *Allopuccinia, Leucotelium, Edythea,* and *Ypsilospora* 417–422, 5 figures

Darby, Richard T. (with White, W. Lawrence, Stechert, Gladys M., and Sanderson, Kathryn). Assay of cellulolytic activity of molds isolated from fabrics and related items exposed in the tropics 34–84, 3 figures

Dearden, E. R. (with Jackson, Herbert Spencer). *Martensella corticii* Thaxter and its distribution 168–176, 11 figures

DeLamater, Edward D. Basic fuchsin as a nuclear stain for fungi 423–429, 1 figure; The nuclear cytology of *Blastomyces dermatitidis* 430–444, 5 figures

Drechsler, Charles. Three Zoöpagaceae that subsist by capturing soil Amoebae 85–105, 4 figures

Fennell, Dorothy I. (with Raper, Kenneth B.). New species of *Penicillium* 507–546, 11 figures

Fischer, George W. Graminicolous Smuts of North America. Century I 502–503

Harris, Hubert A. Heterothallic antibiosis in *Mucor racemosus* 347–351

Hazen, Elizabeth L. (with Schatz, Albert). The distribution of soil microorganisms antagonistic to fungi pathogenic for man 461–477, 3 figures

* This index prepared by Aurèle La Rocque.

Hemming, H. G. (with Brian, P. W., and Jefferys, E. G.). Production of antibiotics by species of *Myrothecium* 363–368

Jackson, Herbert Spencer and Dearden, E. R. *Martensella corticii* Thaxter and its distribution 168–176, 11 figures

Jefferys, E. G. (with Brian, P. W. and Hemming, H. G.). Production of antibiotics by species of *Myrothecium* 363–368

Jenkins, Anna Eliza. The Swingle Sphaceloma hand lens and early records of the pathogene of citrus scab 630–632, 1 figure

Jillson, Otis F. and Nickerson, Walter John. Mutual antagonism between pathogenic fungi. Inhibition of dimorphism in *Candida albicans* 369–385, 2 figures

Kanouse, Bessie Bernice. The genus *Plectania* and its segregates in North America 482–497, 12 figures

Karling, John Sidney. Keratinophilic Chytrids. III. *Rhizophydium nodulosum* sp. nov. 328–335, 20 figures

Kern, Frank Dunn. Lee Oras Overholts 1–5, portrait

Lange, Morten. Two species of *Coprinus* with notes on their cultural characters 739–747, 4 figures

Lefebvre, Camille Leon and Sherwin, Helen S. An undescribed species of *Helminthosporium* on Sudan grass and Sorghum 708–716, 2 figures

Long, William H. and Stouffer, David J. Studies in the Gasteromycetes: XVI. The Geastraceae of the southwestern United States 547–585, 32 figures

Lurie, H. I. A common antigenic factor in different species of *Sporotrichum* 106–113

Mains, Edwin B. Entomogenous fungi 402–416, 4 figures; Two unusual fungi from Glacier National Park, Montana 717–723, 1 figure

Martin, George Willard. *Hemitrichia* vs. *Hyporhamma* 125–126

Morse, Elizabeth Eaton. Variation in *Montagnites arenarius* (DC.) 255–261, 19 figures

Murrill, William Alphonso. *Russula tricolor* Murr. 635

Nickerson, Walter John (with Jillson, Otis F.). Mutual antagonism between pathogenic fungi. Inhibition of dimorphism in *Candida albicans* 369–385, 2 figures

Nyland, George. Preliminary observations on the morphology and cytology of an undescribed heterobasidiomycete from Washington state 478–482, 1 figure

Olive, Lindsay Shepherd. Taxonomic notes on Louisiana Fungi—I. 6–20, 3 figures; Taxonomic notes on Louisiana Fungi—II. Tremellales 586–604, 3 figures

Pady, Stuart M. Teliospore discharge in *Puccinia tumidipes* Peck 21–33, 19 figures

Pease, Dorothy. *Sphaeronaemella fimicola* (Marchal) emend.: some characteristics in culture 114–124, 19 figures

Rader, William E. *Helminthosporium portulacae* a new pathogen of *Portulaca oleracea* L. 342–346, 1 figure

Raper, Kenneth B. and Fennell, Dorothy I. New species of *Penicillium* 507–546, 11 figures

Roberts, John Maurice. Developmental studies of two species of *Nowakowskiella* Schroeter: *N. ramosa* Butler and *N. profusa* Karling 127–157, 2 figures

Rogers, Donald Philip. The meaning of Article 57 of the International Rules 241–254; On *Zygodesmus* 633–635; Proposals for the amendment of Art. 64 of the International Rules of Botanical Nomenclature 635–637

Routien, John B. Hyphal proliferation through clamp-formation in *Polyporus cinnabarinus* Fr. 194–198, 1 figure

Sanderson, Kathryn (with White, W. Lawrence, Darby, Richard T., and Stechert, Gladys M.). Assay of cellulolytic activity of molds isolated from fabrics and related items exposed in the tropics 34–84, 3 figures

Schatz, Albert and Hazen, Elizabeth L. The distribution of soil microorganisms antagonistic to fungi pathogenic for man 461–477, 3 figures

Seaver, Fred Jay. *Humaria* and *Lachnea* 498–499

Sharp, Aaron J. Some fungi common to the highlands of Mexico and Guatemala and Eastern United States 499–502

Shear, Cornelius Lott. Mycological Notes. IX 748–759

Sherwin, Helen S. (with Lefebvre, Camille Leon). An undescribed species of *Helminthosporium* on Sudan grass and Sorghum 708–716, 2 figures

Singer, Rolf. New genera of Fungi—IV 262–264

—— **and Smith, Alexander Hanchett.** Emendations to our proposals concerning the nomenclature of the gill fungi 627–629

—— **(with Smith, Alexander Hanchett).** Notes on the genus *Cystoderma* 454–460, 1 figure

Smith, Alexander Hanchett. Notice of foray 268. Paul Marshall Rea 388; Henry C. Beardslee 389; Studies in the dark-spored Agarics 669–707, 93 figures

—— **and Singer, Rolf.** Notes on the genus *Cystoderma* 454–460, 1 figure

—— **(with Singer, Rolf).** Emendations to our proposals concerning the nomenclature of the gill fungi 627–629

Sparrow, Frederick Kroeber. Soil phycomycetes from Bikini, Eniwetok, Rongerik and Rongelap atolls 445–453, 19 figures

Sprague, Roderick. Some leaf spot fungi on western Gramineae—II 177–193, 2 figures; Some leaf spot fungi on western Gramineae—III 295–313, 2 figures

Stechert, Gladys M. (with White, W. Lawrence, Darby, Richard T., and Sanderson, Kathryn). Assay of cellulolytic activity of molds isolated from fabrics and related items exposed in the tropics 34–84, 3 figures

Stevenson, John Albert. John Lewis Sheldon 387–388; William H. Long 389

Stouffer, David J. (with Long, William H.). Studies in the Gasteromycetes: XVI. The Geastraceae of the southwestern United States 547–585, 32 figures

Tehon, Leo Roy. Notes on the parasitic fungi of Illinois 314–327, 15 figures

Thirumalachar, Mandayam Jeersannidhi and Chupp, Charles. Notes on some Cercosporae of India 352–362

—— **and Cummins, George Baker.** Status of the rust genera *Allopuccinia, Leucotelium, Edythea,* and *Ypsilospora* 417–422, 5 figures

Warren, John R. An undescribed species of *Papulospora* parasitic on *Rhizoctonia solani* Kuhn 391–401, 3 figures

Wehmeyer, Lewis Edgar. The developmental pattern within the genus *Pleospora* Rab. 269–294, 56 figures

White, W. Lawrence, Darby, Richard T., Stechert, Gladys M., and Sanderson, Kathryn. Assay of cellulolytic activity of molds isolated from fabrics and related items exposed in the tropics 34–84, 3 figures

Wilson, J. K. An examination of the exudate and juice of certain fungi found in their native environment 605–613, 1 figure

Zeller, Sanford Myron. (Book Review) Smith, Alexander H., North American Species of *Mycena* 265–268; Notes on certain Gasteromycetes, including two new orders 639–668

Ziegler, Arthur William. A new species of *Achlya* 336–341, 10 figures

INDEX TO GENERA AND SPECIES

New names, the final members of new combinations, and the page where the former description appears, are in **bold face type.** Mistakes in the spelling of scientific names encountered in the text are corrected in the index.

Absidia capillata 44, 76
Acanthorhynchus vaccinii 754
Acaulopage 87, 92, 95, 98, 103; **baculispora** 89, 91, **93**, 94, 103–104; ceratospora, 95, 98; cercospora 95, 98; **gyrinodes** 97, **98**, 105; ischnospora 92; macrospora 92, 93; stenospora 92, 93
Achlya 336, 338, 340; abortiva 338; **crenulata 336**–338, 340–341; glomerata 338, 341; radiosa 338; recurva 338, 341
Acladium 44, 80
Acremonium 44, 80
Actinomyces 476
Actinopelte 318, 320; dryina 318, 319, 326
Actinothyrium gloeosporioides 318
Acurtis 628, 629
Aecidiolum 242
Aecidium 241, 242, 246, 251
Aegerita 249; candida 249
Agaricus 251, 637; arenarius 256; campestris 693; melleus 250; polytrichophilus 703, 707; radiosus 256; rubriceps 263, 264; trechisporus 628
Agrocybe 670
Aleurodiscus 168, 249; amorphus 168; candidus 500; subgiganteus 249
Allopuccinia 417; diluta 417, 422
Alternaria 80; citri 736; tenuis 44
Amanita caesaraea 501; chlorinosma 501; muscaria 501; rubescens 501; verna 501
Amanitopsis vaginata *var.* fulva 501; vaginata *var.* livida 501
Anellaria 689; separata 689
Ansatospora acerina 326
Antennaria 754–756; ericophila 754–757; salisburgensis 758
Antennularia 754, 756, 759; engleriana 757; ericophila 756–758; rhododendri 757; salisburgensis 756, 757
Anthopeziza 483, 491, 474–497; **floccosa 491**, 492, 495, 496; Winteri 491, 495
Anthurus 645
Aphanomyces laevis 332
Apiocarpella 298, 299; macrospora 298, 299, 313
Apiosporella macrospora 298
Apostemidium 483

Arcangeliella 640, 643; Beccarii 664; **magna 643**; volvaria 663
Areolaria columnaris 653
Armillaria 250; mellea 250
Armillariella 250; mellea 250
Arrhytidia involuta 602
Arthrosporium 44, 81
Ascochyta 182, 297, 301, 305; agropyrina 297; **avenae 297**; elymi 182; graminicola 182, 301; graminicola *var.* brachypodii 190; hordei 297, 298, 313; **phleina 181**, 182; **utahensis 295**, 297, 301, 313
Ascochytella avenae 297
Ascochytula 297
Aserophallus 645
Aspergillus 54, 77, 84, 469; candida 77; Chevalieri 44, 45, 77; Chevalieri *var.* intermedius 45, 77; clavatus 77; Fischeri 45, 77, 164, 166; flavipes 45, 77; flavus 45, 46, 78; fumigatus 46, 77; glaucus 77; japonicus 46; luchuensis 41, 46, 47, 78, 84; nidulans 47, 77; niger 47–49, 78, 84, 728–730, 732–734, 736–738; ochraceus 49, 78; Oryzae 50, 78; repens 50, 77; Sydowi 50, 51, 78; Tamarii 52, 78; terreus 52, 78; unguis 52, 53, 77, 469; ustus 53, 77; ustus *var.* laevis 53, 77; versicolor 54, 74, 78; Wentii 54, 78
Asperisporium 322; **Acori 321**, 327; Caricae 322
Aspropaxillus 629; giganteus 629
Astraeus 547, 580, 582, 654; hygrometricus 548, 580, 585, 654; **pteridis 654**; stellatus 580
Astrosporina 628
Atylospora fuliginosa 697
Auricularia auricularis 587

Batarrea 660
Blastocladia 132, 134, 156, 157
Blastocladiella simplex 134
Blastomyces 425, 427, 431, 434, 435, 441, 442; braziliensis 373, 379; dermatitidis 373, 379, 384, 424, 425, 430, 431, 433, 436–444, 461
Blastospora 422
Boletellus 231; ananas 231
Boletinus 199; **kunmingensis 199**; pictus 201; punctatipes 200; punctatipes *var.* **pinetorum 200**; punctatipes *var.* typica 200
Boletus 201, 202; aereus 211; albidus 223; **albofarinaceus 209**; **atroviolaceus 203**; **brunneissimus 228**; candidus 223; castaneus 202; **Cheoi 215**, 216, 217; chrysenteron 214; communis 214; communis *var.* mutatis 214; crocipodius 210; decorus 216; edulis 227; eximius 228; felleus 207; flavidus 202; flavus 203; Frostii 221, 222; fuscescens 210; Gertrudiae 227; granulatus 206; **instabilis 215**; javanicus 207, 208; Kauffmanii 226; luteoporus 210; luteus 203; **magnificus 221**; **minutus 201**; **nigropunctatus 214**; ornatipes 225, 226; paludosus 213, 215, 218; placidus 205; porphyrosporus 206; **pseudostrobilomyces 212**; **punctato-fumosus 207**; **punctilifer 216**; **puniceus 217**; Queletii 221, 222; radicans 223; Ravenelii 212; recedens 219; regius 224; retipes 225, 226; rimosellus 226; rimosus 210; **roseolus 207**, **208**; rubropunctus 219; **rugosellus 219**; sanguineus 224, 225; Satanas 220; **sinicus 220**, 222; speciosus 224; splendidus 223; **subpaludosus 213**, 218; **subsplendidus 222**; sylvestris 218; **Taianus 220**; tesselatus 210; thibetanus 204; tomentipes 214; umbrinellus 209; umbrinus 209, 229; unicolor 218; velatus 208; **violaceo-fuscus 210**; **virens 206**; vitellinus 223; **yunnanensis 213**, **217**
Botryodiplodia Theobromae 54, 82
Botrytis allii 364–366
Bovistella **atrobrunnea 649**, 650
Bovistoides simplex 583, 585
Brachysporium 54, 80
Broomeia 647
Broomeiaceae 647, 648
Bubakia crotonis 10
Bulbopodium 681

Caeoma 246; pusillum 309
Calbovista 648
Calocera cornea 602
Calostoma 657; cinnabarina 501; microsporum 655
Calvarula 644
Campanularis anomalus 685
Candida 374, 377, 380, 382, 383, 430; albicans 369–375, 377–381, 383, 385, 425, 461, 463, 465, 467–470, 472–475; albicans *var.* stellatoidea 425; albicans *var.* tropicalis 425; guillermondi 425; Krusei 425; parakrusei 425
Cantharellus carbonarius 628; cibarius 501; floccosus 501
Catenaria 136, 137, 156

Catenochytridium carolinianum 133, 137, 156; laterale 133, 135, 144, 156
Catenomyces 136; persicinus 136, 137, 156
Catharinia 273
Centrospora acerina 324
Cephalosporium 55, 80, 122
Cephalothecium 55; roseum 55, 398, 401
Ceratostomella 114, 117, 124; adiposum 124; fimbriata 123; paradoxa 123; ulmi 476
Cercoseptoria domingensis 361
Cercospora 4, 192, 324, 327, 352, 356; **Achyranthina 352**; Achyranthis 352; Apii 353; Aspleni 353; **bangalorensis 353**; Calotropidis 353; canescens 354; Cannabis 354; Capparidis 354; carbonacea 354; Caricae 322; centrostachydis 352; **Clauseniae 354**; Cocculi 355; Coffeicola 355; consimilis 355; daizu 360; **difformis 322**, 325, 327; exotica 358; fusimaculans 355; garbiniana 360; granuliformis 325, 327; Hibiscina 355; **Holarrhenae 355**; Ii 325; Ixorae 356; Jasminicola 356; kaki 356; **Lettsomiae 356**; lilacina 325; macrospora 324; Mali 357; Melochiae 362; minima 357; murina 325; **mysorensis 357**; Nelumbonis 358; Nerii-Indici 358; Nymphaeacea 358; Panici 355; Panici-milacei 355; **Panacis 358**; **Paramignyae 358**; penicillata *var.* Apii 353; **petila 359**; Piricola 357; Pouzolziae 358; Punicae 359; Rubi 360; septorioides 360; **Shoreae 360**; sojina 360; Sorghi 360; Sorghi *var.* Maydis 360; **sororiae 323**, 324, 325, 327; subsessilis 361; Tectoniae 361; Tinosporae 361; Vignicaulis 354; Violae 324–327; Violae-sylvaticae 325; Violae-tricoloris 324, 326, 327; **Waltheriae 361**; **Wrightiae 362**; Zizyphi 362
Cercosporella 178, 192; subulata 177, 178
Cercosporina Cannabis 354; kikuckii 354
Chaconia 421; **baphiae 421**
Chaetomella 55
Chaetomium 82, 83; funicolum 42, 55, 56, 82–84; indicum 56, 82; pusillum 755–757
Chamonixia 642, 667
Cheilymenia calvescens 725
Chitonia 263
Chrysocelis ascotela 421, 422
Chrysomyxa 718
Chytridium 332–335; cocconeidis 332; **Rhizophydii 333**, 335; versatile 332; versatile *var.* acaulis 332
Chytriomyces 157, 331, 332, 334, 335; hyalinus 332; stellatus 332
Citromyces 544; minutus 511
Cladochytrium 127; hyalinum 135, 137, 156; replicatum 130, 134–137, 139, 142, 144, 147, 153, 156; tenue 136
Cladosporium herbarum 56, 57, 80, 181, 307
Clathrella 644, 645
Clathrogaster 660–664; Beccarii 664; vulvarius 664
Clathrospora 272, 289, 292–294
Clathrus 644, 645; cibarius 645
Claudopus 628, 629
Clavaria 637
Clethria 644
Clintonella peltata 410
Clitocybe 627, 629; laccata 501
Clitopilus 628
Clypeus 628
Coccidioides immitis 430, 461
Cochliobolus 708, 716; heterostrophus 710
Cochlonema 103; euryblastum 88
Coemansia 174–176; aciculifera 170
Coilomyces Schweinitzii 649
Coleosporium 718, 719, 723
Coleroa 752; chaetomium 752; salisburgensis 757, 758; straussii 755, 757
Colletotrichum 712; gloesporides 476
Collybia 265; conigena 197; platyphylla 501; radicata 489; tenuipes 268
Coniophora 634, 746
Coniothyrium 57, 82
Copelandia 685
Coprinus 255, 669, 670, 674–676, 679, 680, 684, 739, 746, 747; angulatus 670, 706; asterophorus 672, 706; atramentarius 674, 679; Brassicae 672, 673, 706; calyptratus 672, 706; cinchonensis 672, 706; cothurnatus 739–743, 747; dilectus 740; domesticus 677; ebulbosus 673, 679, 682–684, 706; ephemerus 672, 674, 682, 684; hexagonosporus 673, 706; insignis 674, 706; jalopensis 676, 706; Jonesii 676, 706; lagopus 676; lagopus *var.* rotundisporus 676; laniger 677, 706; mexicanus 677, 706; micaceus 681; **mycelio-**

cephalus 673, 678, 741, **742**, 744, 745, 747; narcoticus 739; niveus 680, 740; phaeosporus 678; plicatilis 682; pseudoradiatus 678, 706; pulchrifolius 678, 706; quadrifidus 673, 679, 682, 683, 706; radians 676, 677, 679; roseotinctus 740; rotundisporus 679, 706; semilanatus 680, 706, 740; Seymourii 680, 706; silvaticus 681, 706; Spraguei 682, 706; sterquilinus 672; **subpurpureus 684**, 706; variegatus 679, 682, 706; vermiculifer 744
Corditubera 640; microspora 640; Staudtii 640
Cordyceps 4, 405, 407, 408, 410–412, 415; australis 411; bicephala 411; curculionum 402, 405, 411, 416; Huberiana 411; Humberti 402, 404; necator 411; oxycephala 404; paludosa 415; peltata 407, 409, 410, 415, 416; proliferans 411; Puiggarii 402–404, 416; sphaecocephala 402; sphecocephala 402, 404; (Torrubia) sphaecophila 402; sphecophila 402; subsessilis 405, 406, 416
Corticium 248, 633; alutaceum 169, 172; bombycinum 168; confluens 169; lacteum 172; microsporum 158, 168; pruinatum 248; radiosum 169, 172, 173; varians 197
Cortinarius 262, 681
Corynites 646; Ravenelii 646
Crinipellis 268
Crinodendron 636
Crucibulum vulgare 501
Cryptococcus neoformans 461, 463–465, 467–470, 472–475
Cunninghamella echinulata 58, 76, 84
Curvularia 80, 712; brachyspora 58, 84; falcata 58; geniculata 712; lunata 58
Cyathus 614, 624; stercoreus 614–626; stercoreus *form* Lesueurii 621, 624; stercoreus *var.* minor 622, 624; stercoreus *form* rufipes 624; vernicosus 621
Cyclomyces 4
Cylindrochytrium johnstonii 157
Cylindrosporium calamagrostidis 181, 305, 307, 308, 313; glyceriae 302
Cystoderma 454, 705; amianthinum 457, 458; amianthinum *var.* sublongisporum 460; amianthinum *f.* typicum 455; carcharias *f.* album 459; cinnabarinum 459; granulosum *var.* adnatifolium 459; granulosum *var.* occidentale 458; granulosum *var.* typicum *f.* typicum 459; Gruberianum 458; haematites 458; **paradoxum 454**, 455; **subpurpureum 457**, 458

Dacrymyces 593; abietinus 598, 599; abietnus *var.* **triseptata 598**, 604; deliquescens 593, 599; Ellisii 599; minor 593, 599; palmatus 599
Dacryomitra ceracea 601, 602; stipitata 593, 601, 602, 604
Dactylaria thaumasia 96, 105
Daedalea 4; quercina 501
Dasyscyphella 724; **indica 724**
Deconica bulbosa 696; crobula 262; pyrispora 703; subviscida 704
Dendrogaster 643
Dendryphium 16; comosum 16; costaricense 16
Desmaturus 645
Desmella 420; aneimiae 420; **berberidis 420**; **quitensis 420**; superficialis 420, 422; **tenella 420**, 422
Diaporthe 241, 246; Ailanthi 241; alnea 241; detrusa 241
Dichotomophthora portulacae 342
Didymosphaeria inaequalis 751
Dimerosporiopsis englerianus 757
Diplocystis 647
Dipodascus 164
Dispira cornuta 400
Dissoderma 454
Dycticia 644

Eccilia 628, 629
Edythea 417, 418, 420; berberidis 418, 420; quitensis 418, 420; tenella 418, 420, 422
Elasmomyces **alpinus 643**; Mattirolanus 659; **Rodwayi 642**; sessile 659
Endochytrium operculatum 130, 133–135, 137, 139, 144, 147, 148, 156
Endomycopsis albicans 365
Endostigme 749; chlorospora 749; cinerascens 750, 751; crataegi 749; ditricha 749; fraxini 749; inaequalis 749–751; pirina 749; tremulae 749
Entoloma 628, 629
Entophlyctis aurea 449
Eocronartium muscicola 586, 603
Epiclinum Cumminsii 322
Erinella 724; corticola 724
Eriosphaeria 759; salisburgensis 757, 759
Eucordyceps 410
Eucystoderma 454

Eumycena 266, 267
Euryachora 302
Euzygodesmus 634
Exidia 598; nucleata 593; recisa 593; spiculosa 593

Favolus 4; rhipidium 500
Fimetaria 611
Fistulina hepatica 608–610
Fomes 4; annosus 501; Feei 501; pinicola 501, 502; roseus 501; senex 501
Fusarium 60, 79, 631; culmorum 401; javanicum 58; lateritium 58; moniliforme 58, 387, 388; oxysporum 58, 59, 476; oxysporum cubense 476; roseum 59; Scirpi *var.* longipes 59; semitectum 59; semitectum *var.* majus 59; Solani 59, 60
Fusicladium 749; Peucedani 322

Gasterella 639
Gasterellaceae 639
Gasterellopsis 639
Gastrosporium 660, 661, 665; simplex 665
Gautieria 642, 660, 661, 666, 667; morchelliformis 667
Gautieriaceae 661, **666**
Gautieriales 661, **666**
Geaster 547, 548, 554, 555, 562, 563, 569, 581; arenarius 548, 563, 569, 571; Bryantii 548, 550, 552, 555; caespitosus 649; campestris 548, 556, 557, 559, 562; coronatus 548, 566; Drummondii 548, 549, 555, 559; elegans 548, 552, 553, 555; ellipticis 554; fimbriatus 549, 576, 578; floriformis 548, 577, 578; fornicatus 549, 566, 574, 578; Hariotii 548, 552, 555; Hieronymi 548, 567, 569; hygrometricus *var.* giganteus 580; juniperinus 566, 569; lignicola 649; limbatus 548, 569, 570, 573, 585; limbatus *var.* pacificus 569; mammosus 548, 560, 562; minimus 548, 565, 566, 569; papyraceus 649; pectinatus 548, 550, 552, 555; **pluriosteus** 548, **553**, 555; rufescens 549, 575, 578; saccatus 565, 574; saccatus *form* major 548, 574, 578; saccatus *form* minor 548, 571, 573; Schmidelii 548, 551, 555; Smithii 548, 559, 562, 566; tomentosus 548, 564, 569; triplex 548, 572, 573; vulgaris 580; xerophilus 548, 554, 555; **xylogenus** 548, 562, **563**
Geasteroides 579; texensis 579
Geastrum 547, 581, 582; fibrillosum 580; hygrometricum 580; hygrometricum *var.* giganteum 654; mirabile 649; **Schweinitzii 649**
Geopetalum 628; carbonarium 628; petaloides 628
Geopyxis coccinea 484; floccosa 491; hesperidea 485; occidentalis 485
Gibbera 752, 753, 759; salisburgensis 757, 758; straussii 757, 758; vaccinii 752, 759
Glaziella aurantiaca 445
Gliocladium 60, 79, 386; fimbriatum 79; roseum 60, 79, 386
Gliomastix convoluta 61, 81
Gloeosporium 319, 321; affine 319
Gloeotulasnella pinicola 602
Glutinipes 266
Guepinia spathularia 602
Gymnoascus 524; Reesii 544
Gymnoglossum 643, 666; **cambodgense 643**; **candidum 643**; **connectens 643**; **elasmomycetoides 643**; **foetidum 643**; **globosum 643**; **majus 643**; **megasporum 643**; **olivaceum 643**; **radiatum 643**; stipitatum 643; **utriculatum 643**
Gymnomyces 642; vesiculosus 641, 642
Gymnosporangium 242; clavipes 30; inconspicuum 30
Gyroceras 17
Gyrodon 205, 229

Helicobasidium 169, 249; purpureum 249, 254
Helicogonium 164, 165; Jacksonii 158, 160, 168
Helicoceras 17
Helicogloea 590, 603; Lagerheimi 587, 603; **sebacinoidea 588**, 603
Helicoma 16, 17
Helicomina 16, 17; **caperoniae** 15, 16, **17**, 18, 20
Helminthosporium 181, 344, 355, 708, 711, 712, 714, 716, 752; cookei 711; maydis 710; **portulacae** 342, 343, **344**, 345; sativum 398, 401; sorghi 711, 712, 714, 715; **sorghicola** 713, **714**, 715, 716; sudanensis 712, 714
Helotium 165, 166; albidum 165; citrinulum 165; erraticum 165; gemmarum 165; midlandensis 165; scutula 165; scutula *var.* fucatum 165
Helvella 268
Hemiarcyria 125; serpula 125

Hemitrichia 125, 126; karstenii 125; serpula 125, 126; Vesparium 125
Hendersonia 181; crastophila 190; culmicola *f.* minor 190; simplex 307
Heterosporium phlei 181
Histoplasma capsulatum 373, 425, 430, 461
Hoehneliogaster 640
Hohenbuehelia 628
Humaria 498, 499, 724, 725; **ahmadi 725**; **pallidisetosa 725**; plumbea 726
Humarina 498, 724; **plumbeo-atra 726**; **purpurea 726**; **umbrina 726**, 727; waterstonii 727; **zizyphi 727**
Humicola 62, 79, 84
Hydnangium 640, 642; carneum 640; **nigrescens 641**; purpureum 641; **vesiculosum 641**
Hydnum 637
Hygrophilus 264
Hygrophorus acutoconicus 268
Hymenochaete 248; tomentosa 248
Hymenogaster 658, 666
Hymenostilbe 411; **australiensis 411**, 412; formicarum 411; melanopoda 411; melanopus 411
Hymenostomum 490; microstomum 490; squarrosum 490
Hypochanum
Hypocrea 408, 410
Hypodendrum 4
Hypomyces 408
Hyporhamma 125, 126; reticulatum 125
Hypoxylon malleolus 500

Ileodictyon 644, 645
Illosporium malifoliorum 388
Inocybe 268, 628
Ionomidotis 483
Irpex farinaceus 500, 502
Isaria melanopus 411
Itajahya 647; galericulata 647

Karlingia rosea 332, 453
Kickxella 174, 176
Krombholzia crocipodia 210; luteopora 210
Kunkelia nitens 7
Kupsura 646; sphaerocephala 646

Lachnea 498, 499, 725; coccinea 484; mirabilis 487
Lactaria 506
Lactarius indigo 501, 502; Peckii 501
Laestadia 751
Leccinum nigrescens 210
Lenzites 4; Berkleyi 501; betulina 501, 502; saepiaria 501
Lepiota 459; cinnabarina 459; procera 501
Lepista 627
Leptographium 124
Leptonia 628, 629
Leptosphaeria 270, 273, 278, 300; arenaria 186; Yerbae 278, 293
Leptostroma Avenae 315
Leptostromella **Solani 317**, 327
Leptothyriella Liquidambaris 318
Leptothyrium 315; **anthelminthici 314**; **Avenae 315**, 327; Chenopodii 315; **fimbriatum 315**; Smilacis 317
Leucogaster 640, 668
Leucopaxillus 629
Leucophleps 668; candida 668
Leucorhizon 665; nidificum 665, 666
Leucotelium 417, 418; cerasi 418, 422
Lichthemia Regnieri 62, 76
Linderomyces 262
Lophodermium arundinaceum 307, 311
Lycogala 668; mexicanum 651
Lycogalopsis 647
Lycoperdellales 668
Lycoperdellon 667, 668; minutum 668; Torrendii 668
Lycoperdon 565, 651, 652; acuminatum 651, 652; albidum 648; albinum 648; Curtisii 651, 652
Lysurus 388, 645; Gardneri 646; Mokusin 645, 646; pusillus 646

Macowania 642
MacOwanites 642; agaricinus 642; alpinus 643; magnus 643
Macrometrula 263, **264**; **rubriceps 264**
Macrophoma 300; phlei 301; **sporoboli 300**, 301, 313
Maravalia 418, 422
Martensella 173–176; Corticii 168–175; pectinata 175
Mastigosporium 308
Megachytrium Westonii 136, 139
Melampsora 241, 247, 717–719, 723; Kusanoi 719
Melanospora 114
Memnoniella 83; echinata 62, 63, 81
Mesopsora 719; Hypericorum 717–719
Metarrhizium 83, 368; Anisopliae 63; brunneum 63; glutinosum 36, 81, 84, 363, 367, 368, 477
Michenera 249; artocreas 249

Microsphaera 8; alni 8, 10; alni *var.* **cinnamomi** 8, 9, 19; alni *var.* lonicerae 8
Microsporum 80, 234; audouini 234, 235; canis 234; gypseum 63, 234, 461
Microstoma 483, 486, 488, 490, 491, 494; hiemale 487, 488, 496, 497; **protracta** 486, 489–491, 496
Milesia 250, 251, 253, 254; Polygoni 250; Polypodii 250
Milesina 250
Mimema 418
Mitrula 719, 720; gracilis 717, 719, 721, 722; muscicola 719, 720, 722; phalloides 268
Monascus 515
Monilia 108, 112; albicans 385; candicans 248
Monoblepharella 157; Taylorii 134
Montagnea 255, 256; arenaria 256; candollei 256
Montagnites 255, 256; **arenarius** 255, **256**, 258–260; arenarius *var.* texensis 261; candollei 256; pallasii 256; radiosus 256; tenuis 256
Morchella 268
Morganella 650, 652; **mexicana 650**
Mortierella tuberosa 170
Mucor 373; fumosus 63, 76; hiemalis 347; Mucedo 347, 605; racemosus 347–350; sexualis 347
Mutinus 646
Mycena 265–268; acuto-conica 268; albicolor 267; albidula 268; albissima 267; alnicola *var.* odora 267; arenaria 267; Atkinsoniana 267; bisphaerigera 268; Brownii 267; cayugaensis 267; cheboyganensis 267; cineraria 267; cylindrospora 267; delicatella 268; epipterygia *var.* lignicola 267; fagicola 267; filiformis 267; flavoalba *var.* microspora 267; fuliginella 267; galericulata 267; Gaultheri 267; griseoviridis 267; griseoviridis *var.* cascadensis 267; incarnatifolia 267; kalalochensis 267; Kauffmaniana 267; Kuehneriana 267; lilacifolia 268; litoralis 267; McMurphyi 268; misera 268; olida *var.* americana 267; pallida 268; papillata 268; paucilamellata 267; plumbea *var.* robusta 267; pseudoclavicularis 267; pseudogrisea 268; pseudogrisella 267; pseudoinclinata 267; pusillissima 268; Rickeni 267; rubrotincta 267; semivestipes 268; serotina 268; setulosa 267; subcana 267; subconcolor 267; subfusca 267; subimmaculata 268; subvestita 268; Swartzii 268; tenuiceps 267; tenuicula 267, 268; thujina 267; translucentipes 268; turbinata 268; umbrina 267; vestita 268
Mycenastraceae 648
Mycenastrum 648
Mycenella 266, 267
Mycopharus 645
Mycosphaerella 120; citrullina 120; tulasnei 307, 308
Myriogonium 158, 165, 167, 176; **Odontiae 159**, 161, 163, 164, 169
Myrothecium 81, 363, 364, 368; inundatum 64, 81, 363–367; roridum 63, 81, 363–368; verrucaria 36, 64, 81, 84, 363–367
Myxosporium 64
Myrica 635
Myriostoma 547, 582; coliforme 583, 585

Naematoloma 669, 670, 692, 693, 703, 706; **campestre 692**, 706; dispersum 694; elongatipes 693; **humidicola 693**, 706; **petasiforme 694**, 706
Naucoria humidicola 693
Nematoctonus haptocladus 194
Neopaxillus 262; **echinosporus 262**
Nephrochytrium 153, 157
Nidulariopsis 656, 657; **iowensis 657**; melanocarpa 656, 657
Niesslia 754, 756; chaetomium 756; exilis 756; pusilla 756
Nolanea 628, 629
Nowakowskiella 127, 130, 132, 136, 139, 144, 145, 147, 153, 154, 157; delica 130, 140, 152; elegans 130; elongata 130, 151, 152; granulata 132; hemisphaerospora 130, 135, 146, 154; macrospora 132, 148, 157; profusa 127–130, 137, 139, 147–154, 156, 157; ramosa 127–133, 135–137, 139, 140, 142, 144–148, 150–155

Octaviania 640
Odontia 159; sudans 158, 159, 167, 169
Oidium 248, 254, 633, 634; effusum 249; Morgani 249; pulveraceum 249; tomentosum 248
Olpidium 450, 452; **Rhizophlyctidis 449**, 452, 453; Uredinis 450
Omphalia 265, 268; vestita 268
Omphalopsis 268
Oospora 80; lactis 64

Ophiobolus 716; graminis 398; heterostrophus 708, 716
Ophiocordyceps 410; peltata 410
Ophiostoma 114, 117, 124
Orbilia 483
Ormathodium 14, 16; **ambrosiae 14**, 15, 20; **costaricense 16**; styracis 14
Otidea 483
Otidella fulgens 268
Ovularia 749; baldingerae 310; haplospora 309; holci-lanati 310; hordei 301, 309, 310; lolii 310; pulchella 309, 310; pulchella *var.* agropyri 310; pusilla 309, 310

Paecilomyces 80; varioti 64
Panaeolus 669, 684–686, 689, 692; anomalus 684, 706; **castaneifolia 685**, 706; digressus 696; foenisecii 685; **fontinalis 690**, 706; **fraxinophilus 686**, 706; papilionaceus 690; reticulatus 686, 706; retirugis 687; rufus 688, 706; semiovatus 688, 689; solidipes 688, 689, 706; subbalteatus 687, 688, 690; variabilis 689, 690, 706; venenosus 690, 706
Papulospora 391–394, 396–398, 400; **stoveri** 394–396, 399, **400**, 401
Patella 409, 725; gilva 726
Patouillardinia 597; cinerea 597
Paxillus 262, 627, 629; lepista 627
Pellicularia 248, 254, 634; lembospora 249; pruinata 248
Penicillium 69, 70, 78, 79, 84, 507, 515, 524, 527, 535, 543, 544; **aculeatum 535**, 537, 538, 543, 546; baarnense 527; bacillosporum 521; Biourgeianum 64, 65; brefeldianum 514, 515; brevi-compactum 477; **capsulatum 528**, 529, 530, 543, 545; chrysogenum 65, 79, 738; citrinum 65, 79; corylophylum 66; cyaneum 66; **diversum 539**, 540–543, 546; diversum *var.* **aureum** 540, **541**, 543, 546; ehrlichii 515, 544; expansum 477; funiculosum 535, 538, 543; gladioli 477; **helicum 515**, 516, 518, 520, 543, 545; herquei 66, 538, 544; implicatum 66; javanicum 511, 515, 543; **lapidosum 524**, 525, 527, 543, 545; **lavendulum 530**, 531–533, 543, 545; **levitum 511**, 513–515, 543, 545; lilacinum 66; luteum 66, 67, 78, 79, 518, 521, 524, 543; majusculum 67; mangini 527; minutum 511; multicolor 67; notatum 5, 67, 79; pallidum 532, 533, 543; **parvum 508**, 509, 511, 515, 527, 543, 545; patulum 477; **piceum 533**, 534, 535, 543, 546; piscarium 67; purpurogenum 67, 79, 538, 543; roseo-purpureum 68; **rotundum 518**, 519, 543, 545; rubescens 533; rugulosum 79, 538; rugulosum *var.* atricolum 68; sanguineum, 68; spinulosum Steckii 68; **striatum 521**, 522, 524, 527, 543, 545; sulfureum 68; Sweicickii 68; tardum 68, 541–543; thomii 527, 543; vermiculatum 518, 520; verruculosum 538; virido-albus 69; Westlingi 69; wortmanni 69, 521, 524, 544
Peniophora 168, 169, 249, 634; Aegerita 249; candida 249
Peridermium 242, 251
Peronospora 6, 7; fragariae 7; parasitica 6; potentillae 7, 18, 20; rubi 7; sparsa 7
Pestalotia 70, 71
Peziza 637; coccinea 482, 484; cruciata 486, 491; Dudleyi 483, 484; floccosa 482, 483, 491, 495; hesperidea 485; hiemalis 487; melastoma 482; mirabilis 487, 490; occidentalis 482, 485; protracta 482, 486, 491; saccardiana 727; sepiatra 727; sepiatrella 727; violacea 726
Phaeoseptoria 190, 192, 312; airae 191; calamagrostidis 307; festucae 190, 191, 306, 307; **poae 190**, 191
Pharus 645
Phleospora 180, 181, 192; graminivorum 181; **idahoensis 180**, 181, 192
Phlyctidium mycetophagum 335
Phlyctorhiza variabilis 332, 335
Pholiota 4; aurivella 254
Phoma 71, 82, 241; Ailanthi 241; alnea 241; detrusa 241
Phragmidium 30; rubi-idaei 478
Phyllachora 241; Trifolii 241, 246
Phylloporus 262
Phyllosticta 300, 301, 320; destructiva *var.* Evonymi 321; **healdii 182**, 183, 192; panici 183; rhoicola 320; rogleri 183, 301; Smilacis 317; sorghina 183
Phymatotrichum omnivorum 398
Physalacria 603
Physocladia 139
Physopella fici 10
Phytophthora erythroseptica 347
Pilacre 412
Pilobolus crystallinus 605; longipes 605, 606

Piricularia parasitica 308
Pirostoma Nyssae 318
Plasmopara gonolobi 6
Platygloea Peniophorae 168
Plectania 482, 483, 485, 489, 490, 494; coccinea 484, 486, 496, 497; floccosa 483, 491; hiemalis 487; occidentalis 485, 486, 496; protracta 482, 483, 487, 490, 491, 496, 497
Pleosphaerulina 273
Pleospora 269–271, 273–276, 278, 281, 288–290; abbreviata 291; abscondita 279, 293; Alismatis 282, 283, 293; alpestris 289; amplispora 289, 294; Anthyllidis 289; Anthyllidis *var.* Aconiti 282, 293; Armeriae 286; atromaculans 283; Balsamorrhizae 286; Berberidis 283, 294; Boldoae 280, 293; calvescens 278; carpinicola 283; chlamydospora 287; coloradensis 286; Compositarum 294; cybospora 294; delicatula 278; diaporthoides 280, 293; dura 279, 293; Ephedrae 289; Forsteri 278; fuegiana 278; Galii 279, 293; helvetica 290; Henningsiana 290, 294; herbarum 272, 273, 276, 277, 283–287, 289–294; herbarum *var.* occidentalis 284, 285, 291, 294; Herniariae 285, 294; hispida 290; infectoria 280, 293; infectoria *var.* nigriseda 283; infectoria *var.* sacchari 293; intermedia 279; Inulae-candidae 291; Jaapiana 286, 294; Juglandis 283; kansensis 283, 293; laricina 290, 294; laxa 287; longispora 287, 294; Maireana 294; maritima 286, 294; media 284, 285, 289–291; mollis 279, 293; montana 287, 294; multiseptata 289, 294; Niessleana 279, 293; njegusensis 294; obligasca 289; oblongata 279, 293, 294; obtusa *f.* fibrincola 294; orbicularis 283; oligostachyae 280, 293; oligotricha 283; papaveracea 278; parvula 278; pellita 278, 293; phyllophyla 291; pleosphaeroides 282, 293; pulchra 287; pustulans 290; Rhodotypi 289; richthophensis 280, 282, 283, 293; rubicola 289, 294; rubicunda 282, 293; Shepherdiae 283; socialis 280; stenospora 286, 294; Thuemeniana 278, 283, 290, 294; Thurgoviana 282, 293; tomentosa 282; vagans 278, 293; vulgaris 272, 273, 276, 277, 279, 280, 282–284, 291–293
Pleurotus ostreatus 501, 502
Polycephalomyces 414; formosus 414, 415; **paludosus** 413, **414–416**; **ramosus 414**, 415
Polychytrium 133, 156; stromaphilum 134
Polyphagus Euglenae 147, 156, 157
Polyporus 4; abietinus 500; adustus 500, 501; arcularius 500; australis 500, 502; cinnabarinus 194, 196, 197; cinnamomeus 500, 501; cristatus 500, 502; Curtisii 500; cuticularis 500, 502; dichrous 500; distortus 500; dryadeus 606–612; gilvus 500, 501; glomeratus 3; hirsutus 500; licnoides 500; longipes 612; lucidus 500; perennis 500; pinsitis 500, 502; pocula 500; rhipidium 500; sanguineus 501, 502; Schweinitzii 501; semipileatus 500, 502; sulphureus 501, 606, 609, 610; tulipiferus 501; versicolor 501
Polythrincium 241; Trifolii 241, 246
Pompholyx 656
Poria 3–5
Prospodium 421
Protogaster 639
Protophallus 643, 644
Protubera 643, 644; **brunnea 644**; **jamaicensis 644**; Maracuja 643, 644
Proventuria 748
Psathyra cinchonensis 700; lateritia 698; mammillata 700
Psathyrella 264, 268; disseminata 250; petasiformis 694
Pseudocolus 645
Pseudocoprinus disseminatus 250
Pseudodiscosia 193; avenae 180
Pseudomonas coronafaciens *v.* atropurpureum 296
Pseudomycena 266
Psilocybe 669, 670, 693, 694, 702, 703; atrobrunnea 701; atrorufa 698; **bulbosa 694**, 706; caespitosa 696, 706; californica 696, 706; castaneifolia 685; castanella 696, 706; coprophila 697, 702; **fuliginosa 697**, 706; graveolens 697, 707; **lateritia 698**, 707; latispora 698, 707; **mammillata 700**, 707; **modesta 700**, 707; nigrella 700, 707; **pallidispora 701**, 707; panaeoliformis 701, 707; phyllogena 700, 702, 703, 707; plutonia 702, 707; **pyrispora 703**, 707; silvatica 698; subviscida 696, 704, 707; **tomentosa 705**, 707; vialis 705, 707

Puccinia 30, 249, 417, 418; cerasi 422; donidiae 30; globosipes 30; graminis 244; grayiae 30; helianthi 254; obliqua 6; sorghi 253; tumidipes 21, 23, 27, 30–32; Caricae 322; pullulans 71
Pyrenochaeta 72, 82, 313; **elymi 299**; exosporioides 299; graminis 299; leptospora 299; luzulae 299; oryzae 299
Pyrenophora 274, 307, 716, 748; hyphasmatis 278; moravica 283; notarisii 748; phaeocomoides 283; rosae 748
Pyronema confluens 164
Pythium 85, 156, 157, 447; debaryanum 332; helicoides 95; irregulare 99; ultimum 87

Radiigera **cinnamomea 652**
Ramularia 11, 310; pulchella 309; pusilla 309; **sidae 9, 11**, 19
Ramulaspera 310; holci-lanati 310
Rhacophyllus 250; lilacinus 250
Rhinocladium Beurmanni 107; equi 112; equinum 107, 108
Rhizidiomyces bivellatus 129, 130, 157
Rhizoctonia 249, 401; Crocorum 249, 254; solani 391–401, 477
Rhizomorpha 250; subcorticalis 250
Rhizophlyctis 447, 449, 450, 452, 453; (Karlingia) rosea 449, 453
Rhizophidium 328, 329; coronum 156; gibbosum 330; keratinophilum 329, 332, 335; **marshallense 450**, 452, 453; **nodulosum 328**, 329–335
Rhizopodella 482
Rhizopus 347; arrhizus 72, 76
Rhodopaxillus 627
Rhodophyllus 628, 629; abortivus 628, 629
Rhodotus subpalmatus 268
Rhopalophlyctis 157
Roestelia 242, 251
Rozella 157
Russula 506, 643; adusta 364; cinerascens 506; foetens 501; magna 506; pungens 506; **patriotica 635**; rubescens 506; tricolor 635

Saccharomyces 425, 430
Sarcopodium 80; fuscum 72
Sarcoscypha 482, 486, 488, 489; alpina 487, 489; coccinea 484, 486; cruciata 487, 488; floccosa 483, 491; javensis 483, 486; occidentalis 485, 486; protracta 483, 487, 496
Schizophyllum commune 501
Scleroderma 582, 656; aurantium 653; aurea 653; Bovista 653; cepa 653, 654; columnare 653; geaster 655; lycoperdoides 653, 654; pteridis 654; tenerum 653; tuberoideum 654; verrucosum 653
Sclerophoma 301
Scleroplea 273
Sclerotinia baccata 487, 496; hiemalis 487
Scolecotrichum Alatroemeriae 322; Caricae 322; punctulatum 322
Scopulariopsis 80; brevicaulis 72
Scypharia coccinea *var.* hiemalis 487
Sebacina 166, 194, 197, 590, 597, 598, 603; adusta 590, 595, 597, 604; cinerea 594, 604; epigaea 594, 598; Eyrei 594, 604; podlachica 598; prolifera 164; **variseptata 595**, 597, 603
Secotium 666; **albipes 657**, 658; erythrocephalum 658; nubigenum 658; repandus 658; Rodwayi 642; sessile 659
Sedecula 656
Sedeculaceae 655
Selenophoma everhartii 307
Septochytrium macrosporum 134, 157; variabile 137, 156
Septogloeum 180, 181; oxysporum 181
Septomyxa 80; affinis 72
Septoria 181, 184, 185, 189, 192, 302, 305, 306, 312; agropyrina 304, 306; alopecuri 192; andropogonis *f.* sporobolica 186; avenae 185, 192, 301, 302, 304–306, 313; bromi *var.* elymina 303; calamagrostidis 305; calamagrostidis *f.* koeleriae 186, 192; cenchrina 188; elymi 302, 304, 313; elymi *forma* **elymina 304**; elymina 304; **glycericola 183**, 192, 302; infuscans 181, 189, 304; melicae 305; microspora 184; nodorum 184, 185, 192, 301, 302, 304, 305, 313; pacifica 304; passerinii 184, 185, 192; phleina 182; quinqueseptata 186, 188, 192; secalis *var.* stipae 301; tandilensis 188; triseti 182
Simblum 646; sphaerocephalum 646
Siphonaria 154, 157
Solutoparies Pythii 130
Sorataea 417, 418; amiciae 417, 418, 422

Spermospora 177, 178, 180, 308; **subulata 178**, 192, 308, 313
Sphaceloma 630, 631
Sphaerella 751; cinerascens 750, 751; (Sphaeria) cinerascens 750; inaequalis 750, 751
Sphaeria chaetomium 756; cincinnata 753; cinerascens 750, 751; exilis 756; fimicola 122; Helvellae 114, 121
Sphaerobolus iowensis 656, 657; *f.* europaea 656; stellatus 656
Sphaeronaema 114, 116, 121, 124; fimicola 121, 122; Helvellae 114, 121
Sphaeronaemella 114; carnea 121, 122; fimicola 114, 115, 119, 121, 122; Helvellae 114, 116, 121
Sphaeropsis 72, 300
Sphenospora 420; berberidis 420; kevorkianii 421, 422
Spilosticta 749; bistortae 749; inaequalis 749, 751
Spirochaeta cytophaga 83
Spondylocladiella botrytioides 168
Sporobolomyces 480, 481
Sporophlyctis rostrata 130, 157
Sporothrix 112; Schenckii 112
Sporotrichum 72, 80, 106, 107, 111–113; asteroides 106–108, 112; Beurmanni 107, 112; Carougeaui 106; Councilmani 107; cracoviense 106; Dori 107; equi 106; Fonsecai 106; Grigsbyi 106; Jeanselmei 106, 107; Schenckii 106–108, 112, 425; Schenckii *var.* Beurmanni 106; Schenckii *var.* Councilmani 106; Schenckii *var.* Fioccoi 106; Schenckii *var.* Greconis 106
Stachybotrys 72, 83; alternans 367; atra 72
Stagonospora 190; alopecuri 190; arenaria 185, 301, 304–306, 312–313; brachypodii 190; foliicola 306; glyceriae 184, 190; **glycericola 189**, 190, 192; **maculata 189**; subseriata 189, 190; subseriata *var.* maculata 189
Staheliomyces 646; cinctus 646
Stemphylium consortiale 72
Stereum 5; ochraceo-flavum 500; rameale 500; sepium 500
Stictopatella 321; Evonymi 321; **Iridis 320**, 327
Stilbella 412
Stilbum 412, 414; **burmense 410**, 411, 412, 416; formicarum 411, 412; hirsutum 412; ramosum 412–414, 416; vulgare 412
Streptomyces griseus 469
Strobilomyces 229; floccopus 213, 229, 230; **glabriceps 229**; retisporus 230; velutipes 213
Stropharia 670, 689
Stylopage 88, 99, 103; araea 99, 100, 102; cephalote 87; hadra 99; leiohypha 99; rhabdospora 87, 88; **rhicnacra** 101, **102**, 105; rhynchospora 99, 102
Stypella 598
Suaeda intermedia 30
Suillus atroviolaceus 203
Syncephalastrum racemosum 73, 76

Teichospora 275, 289, 290
Terrostella 547, 563, 579, 585; texensis 579, 585
Thallospora 11; **aspera** 9, 11, **12**, 18–20
Thelephora 637; biennis 634
Thielavia 166; Sepedonium 73, 82, 165; terricola 165
Thielaviopsis paradoxa 123
Tomentella 634; **biennis 634**; phylacteris 634
Torrubia sphecocephala 402; sphecophila 402
Torrubiella 407
Torula rhododendri 757
Trametes 4; malicola 501, 502; sepium 501
Tremella fuciformis 592, 603; lutescens 590, 591; mesenterica 591; mycophaga 168; mycophaga *var.* obscura 593; **rufobrunnea 591**, 604; simplex 168
Tremellodendron merismatoides 500
Tremellogaster 660–662; surinamensis 663
Tremellogasteraceae 661, **662**
Tremellogastrales 661
Trichaster 547, 563, 585; texensis 580
Trichia 125; clavata 125; reticulata 125; serpula 125
Trichoderma 398, 469; lignorum 397, 401, 477, 736; viride 73, 74, 79, 80, 84, 368, 477
Tricholoma 627; nudum 197; praemagnum 3
Trichomonascus 176; mycophagus 169
Trichophyton 74, 469; album 235; discoides 234, 235; gypseum 461, 463, 467, 468, 470, 472, 473, 475; interdigitale 369, 384, 385; mentagrophytes 234, 235, 369, 461; purpureum 235, 369, 370, 385, 463, 467, 468, 470, 471, 473, 475;

rubrum 232, 234–237, 239, 240, 369–379, 382, 383, 385, 463, 467, 468, 470, 471, 473, 475; schoenleini 461
Trichurus terrophilus 363
Tritirachium 75, 80; dependens 74, 80
Tylopilus 207, 209

Underwoodia columnaris 268
Uredo 241, 246, 247, 251, 252, 723; (Melampsora?) hyperici-humifusi 718; Hypericorum 717
Uromyces 249
Uropyxis amorphae 30, 32; quitensis 420
Ustilago sphaerogena 10

Venturia 748, 749, 751, 753, 755; arctostaphyli 752–754; aucupariae 749; cassandrae 752; chaetomium 748, 756; chlorospora 749; cincinnata 753, 754; compacta 753, 759; dianthi 748; dickei 748, 753; eres 748; gaultheriae 753; inaequalis 749, 751, 752; kalmiae 753; macrotrichia 748; myrtilli 753; pirina 749; pulchella 753; pyrina 749; rosae 748; rumicis 749; straussii 755–757
Vermicularia luzulae 299
Verticillium 75, 80, 122
Volvaria 264
Volvariella 264

Xanthomonas 181; translucens *var.* phlei-pratensis 182
Xerocomus 213, 216–218
Xeromphalina 629; campanella 629
Xylaria cubensis 500

Ypsilospora 417, 420, 421; baphiae 420, 421

Zygodesmus 633–635; fuscus 633, 634; Hypochnoides 633; ochraceus 633
Zygorhynchus Moelleri 75, 76

53;
iae
tilli
53;
icis

ar.

629

iae

33,
ra-